

(48732) 14, Jangang-daero, 3486-beon-gil, Dong-gu, Busan, Korea
Tel : 051-602-5402~4 Fax : 051-602-8803

TEST REPORT



APPLICANT : ALKENZ CO., LTD.

REPORT NO. : B270-20-01841

SAMPLE RECEIVED DATE : 2020-05-20

TEST STARTED DATE : 2020-05-20

REPORT ISSUED DATE : 2020-06-12

PAGE : 1 OF 4

DESCRIPTION : ONE(1) PIECE(S) OF SUBMITTED CUTTING SAID TO BE FABRIC.

ITEM : SUNSHADOW

TEST CONDUCTED : AS REQUESTED BY THE APPLICANT, FOR DETAILS PLEASE SEE ATTACHED PAGE.

PREPARED AND CHECKED BY
FOR FITI

YOUNG MIN, JEON
QUALITY MANAGER

AUTHORIZED BY
FOR FITI


JE-GOO JUN
PRESIDENT

※ Report Verification No.: BIWS-MK2K-X8M5 ※

(You can see the authenticity of your test report through the above "Report Verification No." at FITI homepage.)

0-DOCUMENT SERVICE

The test results contained in this report are limited to results on the sample(s) that is provided by client and are not necessarily indicative or representative of the qualities of the lot from which the sample(s) was taken or of all products. Results contained in this report are not based on the quality certification of sample by the FITI quality certification program unless specifically requested by the client. Further use of the results of this report is prohibited unless allowed under a separate agreement set forth in an official document that is established between the client identified on this letter and the FITI. This test report is intended to conform to ISO/IEC 17025 and KOLAS accreditation.



(#8732) 14, Jangang-daero, 345beon-gil, Dong-gu, Busan, Korea
Tel : 051-652-5452-4 Fax : 051-652-6803

REPORT NO. : B270-20-01841
PAGE : 2 OF 4

01. ACTIVITY OF INCORPORATED ANTIMICROBIAL AGENT(S) IN POLYMERIC OR HYDROPHOBIC MATERIALS (ASTM E2180 - 18) : CELLS/mL, PERCENT REDUCTION OF BACTERIA(%)

		BLANK	#1
BACTERIA 1	THE NUMBER OF BACTERIA AFTER 0 h	2.7 x 10 ⁸	-
	THE NUMBER OF BACTERIA AFTER 24 h	3.2 x 10 ⁸	4.8 x 10 ³
	PERCENT REDUCTION OF BACTERIA(%)	-	99.9
BACTERIA 2	THE NUMBER OF BACTERIA AFTER 0 h	2.7 x 10 ⁷	-
	THE NUMBER OF BACTERIA AFTER 24 h	3.5 x 10 ⁷	< 10
	PERCENT REDUCTION OF BACTERIA(%)	-	99.9

NOTE) TEST CONDITION

- SAMPLE SURFACE AREA : (3 x 3) cm²
- INOCULUM VOLUME : 0.5 mL
- NEUTRALIZING BROTH : 0.2 % POLYSORBATE 80
- BACTERIA 1 : *Staphylococcus aureus* ATCC 8538
- BACTERIA 2 : *Klebsiella pneumoniae* ATCC 4352

SEE ATTACHED PHOTOS.

"" End of The Report ""

SAMPLE :

©-DOCUMENT SERVICE

The test results contained in this report are limited to results on the sample(s) that is provided by client and are not necessarily indicative or representative of the quality of the lot from which the sample(s) was taken or of all products. Results contained in this report are not based on the quality certification of sample by the PTTI quality certification program unless specifically requested by the client. Further use of the results of this report is prohibited unless allowed under a separate agreement and both in an official document that is established between the client identified on this letter and the PTTI. This test reports is intended to ISO 9001:2015 and KOLAB accreditation.

4000 NET

SUNSHADOW SOLAR SCREEN



TEXSTYLE



(48732) 14, Jungang-daero, 348beon-gil, Dong-gu, Busan, Korea
Tel : 051-602-0402-4 Fax : 051-602-6603

REPORT NO. : B270-20-01841
PAGE : 3 OF 4

BACTERIA 1 : BLANK



BACTERIA 1 : #1



0-DOCUMENT SERVICE


The test results contained in this report are limited to results on the sample(s) that is provided by client and are not necessarily indicative or representative of the quality of the lot from which the sample(s) was taken or of all products. Results contained in this report are not based on the quality certification of sample by the PTI quality certification program unless specifically requested by the client. Further use of the results of this report is prohibited unless allowed under a separate agreement and both in an official document that is established between the client identified on the letter and the PTI. This test report is intended to KQI QCMRC 17025 and KOLAB accreditation.



(48732) 14, Jangang-daero, 248B-eon-gil, Dong-gu, Busan, Korea
Tel : 051-652-5452-4 Fax : 051-652-6903

REPORT NO. : B270-20-01841
PAGE : 4 OF 4

BACTERIA.2 : BLANK



BACTERIA.2 : #1



e-DOCUMENT SERVICE

The test results contained in this report are limited to results on the sample(s) that is provided by client and are not necessarily indicative or representative of the quality of the lot from which the sample(s) was taken or of all products. Results contained in this report are not based on the quality certification of sample by the PTTI quality certification program unless specifically requested by the client. Further use of the results of this report is prohibited unless allowed under a separate agreement set forth in an official document that is established between the client identified on this letter and the PTTI. This test report is intended for KRI (KOSHA) and KOLAB accreditation.